



**GVS**<sup>®</sup>

Stock Code: 870976

Globe Value Service

**WELCOME TO GVS**

Guangzhou Video-Star Intelligent Corp., Ltd

# CONTENT

---

01

**Company Profile**

02

**Main Business**

03

**Project & Partner**

---

# 01 Company Profile

---

# ◆ GVS Registration Information

Company Name	▪ <b>Guangzhou Video-Star Intelligent Corp. Ltd</b>
Stock Name/Code	▪ <b>870976</b>
Enterprise Type	▪ <b>Corporated Enterprise</b>
Equity	▪ <b>About 3.3 million shares</b>
Earnings per Share	▪ <b>Announcement on board</b>
Annual Turnover	▪ <b>RMB 150M (about 20 million EURO)</b>
Main Business	▪ <b>Smart Security / Smart Building / Smart Medical &amp; Elderly Care Solution</b>
Industry Status	▪ <b>Security / Building Automation; Leading KNX Brand in China</b>

# ◆ Milestone Events



Established in 1999, GVS entered the security industry with its 1<sup>st</sup> generation product - CRT display modules, the company soon extended its product line to TFT, home & building automation, video intercom by continuous investment and innovation in the industry. As a pioneer in the smart security and building industry, GVS keeps on contributing to the industry in the coming decades...

**In 1999**  
GVS founded with the 1<sup>st</sup> generation B/W CRT display module

**2003**  
Landed in Europe, became the first Chinese supplier on display modules

**2007**  
60% market share on the video door phone display modules globally

**2008**  
1<sup>st</sup> KNX Member in China, smart home and building became a strategic part in GVS

**2016**  
1<sup>st</sup> & only native council member of KNX China National Org.

**2017**  
Listed in the New OTC market in China  
Stock code: 870976

**2018**  
Smart Healthcare Dept. founded, became a core business in GVS.  
N.A. CBU founded, Vine thermostat introduced to N.A market

# ◆ Qualifications



## 217+ patents, copyrights and certifications

- ◆ Initiated and directed compilation of the int'l standard **IEEE1888.4 Green Smart Home and Building Control Network Protocol**
- ◆ Presided and drafted the national standard **Building Automation and Control System Protocol (GB/T 28847)**
- ◆ Participated in compilation the of national standard **Control Network HBES Tech Standardization – Home and Building Control System (GB/T 20965-2013)**



# ◆ Core Competence

## Key Supplying Chain

Design and market competitive touch screen with core IC, customization in all product categories.

## Product Solution

With numbers of embedded technology solutions, GVS is able to offer the market with products cost-efficient.



## Stack


KNX stack developed by GVS, bridge other technologies with KNX protocol to serve target clients with more integrated technology.

## “Cloud – Mobility”

Commercialized cloud applied in users' end, connecting smart home and security with cloud service to realize mobility in this industry.

# ◆ Company Structure

## Guangzhou Video-Star Intelligent Corp., Ltd *Company Structure*




# ◆ Staff Structure

GVS Staff Diploma Statistics						
Diploma	Doctor Degree	Master Degree	Bachelor Degree	Junior College	Senior High	Junior High
No.	3	13	93	77	101	63
Per.	0.75%	3.73%	26.62%	22.14%	28.86%	17.91%
Total	402					



**350 Staff**



■ Doctor Degree ■ Master Degree ■ Bachelor Degree ■ Junior College ■ Senior High ■ Junior High

## ◆ Senior KNX Member in China

### 10 years KNX R&D + manufacture experience

- Earliest KNX member in China – 2008
- First authorized KNX Training Center in China -2010
- First native board member of KNX CHINA - 2016
- Chairman of KNX CHINA -2018
- The company which invested the most into KNX R&D and marketing work



# ◆ GVS - Branches

Globe Value Service

## San Francisco, U.S.A

Consumer Business Unit  
Innovation Center  
5673 W. Las Positas Blvd. Pleasanton, CA 94588

## Shanghai, China

Customer Experience Center  
Building 18, No. 1800, Zhongshan Xi Rd.,  
Xuhui District, Shanghai

 **350 Staff**

 **1500+ Partners**

## Guangzhou, China

### Headquarter


F3/Bldg 5, Lanyu 4<sup>th</sup> St.,  
Huangpu Distr., Guangzhou



# ◆ Competitiveness - Fair & Exhibition



**G**uangzhou **V**ideo- **S**tar



**G**lobal **V**alue **S**ervice

To become the most valuable smart IoT service provider

---

# Main Business

---

02



## Smart Security

Building Security

Modular Business

ODM Service

- Video Intercom System
- Security Modular Service
- Display & Interactive
- ODM Service
- IoT Modular Service
- Cloud Service



## Smart Building

BMS

Automation System

Operation & Service

- Building Automation & Management
- Building Security Control
- Smart Home
- Smart Household Appliances
- Smart Community
- Smart Hotel IoT Solution
- Operation & Service



## Smart Healthcare

Smart Medical Care

Smart Elderly Care

Healthcare Service

- Smart Medical Terminal
- Digi-Intelligent Smart Medical Ward
- Medical IoT Platform
- High Precision Tele-medical Platform
- Elderly RE Solution
- Rehabilitation & Elderly Care Service


# ◆ Main Business

## Smart Security - IP intercom system - In General

### H Series IP Video Intercom System




Based on full digital TCP/IP protocol, the H series IP system is available with functions of video intercom, multi channel calling, intercom function, broadcast function, alarm function, smart home function, APP function etc.




# ◆ Main Business

## Smart Security - IP intercom system - Topology



# ◆ Main Business

## Smart Security - IP intercom system - How it works?



## Smart Security - IP intercom system - Monitors



10.1" Indoor Monitor



7"/4.3" Indoor Monitor

Audio Phone



7" Outdoor Touch

4.3" Outdoor Button

1-Button Mini Outdoor Station

- 10.1 inch glass faceplate
- Full capacitive touch
- 24V/48V PoE Switch optional
- Auto-photo-capture, resolution 1024\*600
- Mobile app with video talk, unlock, monitor functions etc.

- 7 inch glass/acrylic faceplate with full capacitive touch
- 4.3 inch acrylic faceplate with touch key (economic)
- Audio phone with classic design and low cost
- All support 24V/48V PoE Switch
- Resolution: 800\*480, 480\*272
- Mobile app supported on 7 inch

- 7 inch glass faceplate with full capacitive touch, face recognition supported
- Visual angle from 110° to 123°
- Camera: 0.3 mega pixel – 2 mega pixel
- IC card supported
- All support 24V/48V PoE Switch

# ◆ Main Business

Globe Value Service

## Smart Security - IP intercom system - Accessories

---



7" Guard Unit Monitor



PC Software

- 7" capacitive touch screen, resolution: 800\*480
- Card registration function
- PC software for big building project



Lift Calling Module



Lift Control Module



Alarm Module



Power Supply

- Lift calling/control function
- Alarm function
- Power supply for small



6+2 PoE Switch



IP Camera Gateway



Defence Zone Extension Module 7"






Card Reader

- 6+2/7+1 PoE switch, 24V/48V
- Connection up to 255 cameras
- Extra defense zone supported
- Single card reader supported

# ◆ Main Business

## Smart Security – 2 wire intercom system – Topology



# ◆ Main Business

## Smart Security – 2 wire intercom system – Monitors

---



7" Indoor Monitor L/H



7" Indoor Lite



4.3" Indoor TK



AP

- Indoor monitor AP, 4.3" TK, 7" TK, 7" TP
- 2 wire non-polarized technology
- Max. 4 sets in one apartment, 128 in one system



1-2-4 Button Mini Outdoor Silver

1-2-4 Button Mini Outdoor Silver

- 1-2-4 button mini outdoor station
- Aluminum faceplate with elegant design
- Card reader supported
- Visual angle 90°
- Silver & black available



7" Outdoor Touch



2.8" Outdoor Button

- 7 inch full capacitive touch and 2.8" button available
- Visual angle from 110°
- Camera: 0.3 mega pixel
- Name list supported
- IC card supported

# ◆ Main Business

Globe Value Service

## Smart Security - IP intercom system - Accessories

---



System Power Supply



Extended Power Supply



Mini Power Supply

---

- System Power Supply
- Max. 8 Extended Power Supply in one system
- System supports up to 128 indoor monitors
- Mini Power Supply for single apartment/house



Outdoor/Indoor Distributor



Relay Module



A-Camera Interface



Name List Tool

---

- Outdoor Distributor allows max. 3 main outdoor stations per system
- Indoor Distributor allows max 4 connections
- Max. 4 indoor distributor per extended power supply
- Relay control module for a 2<sup>nd</sup> door lock
- Max. 3 channels for analogue cameras per interface (actual number is related to outdoor, which connects ≤ 3)
- The Tool allows feasible programming of name list on main outdoor station

# ◆ Main Business

## Smart Security – TFT & Display Modules

---



1.2" TFT

3.5" TFT

4.3" TFT



7" TFT

10.1" TFT

---

### TFT Display

- Customizable with different sizes
- Widely used in security industry and household appliances
- 20 years experience in TFT display business



3.5"/4.3"/7"/10.1 Display Module

---

### Video Intercom Display Module

- Typical tailored display module for video intercom
- 20 years experience on module design and manufacture



# ◆ Main Business

## Smart Building - KNX Building Automation system



# ◆ Main Business

## Smart Building - KNX Building Automation system – Why KNX ?

AN  
INTERNATIONAL  
STANDARD

1

the Only Open Protocol for  
home and building  
automation worldwide

30

widely used over 30 years  
since EIB age

39

435 members  
spreading over 39  
countries


7000

Over 7000 brands are  
connected with KNX  
globally




# ◆ Main Business

## Smart Building - KNX Building Automation system – Topology Home




# ◆ Main Business

## Smart Building - KNX Building Automation system – Topology Office



# ◆ Main Business

## Smart Building - KNX Building Automation system – Topology Hotel



## Smart Building - KNX Building Automation system – Actuators

---



Switch Actuator, 4/8/12-fold, 16A/20A, current measurement optional



Switch Actuator, 24-fold



Room Controller Classic



Room Controller Premium

---



Switch Actuator, 8-fold, 10A



Shutter Actuator, 4-fold



Fancoil Actuator, 0-10V



Switch Actuator, 8-fold, 6A



Switch Actuator, 12-fold, 6A


---



Dimming Actuator, 1/2/4-fold



0-10V Dimming Actuator



1-10V Dimming Actuator



LED Dimmer, 4A



Dali Dimming Controller

---

## Smart Building - KNX Building Automation System - Panels

---



5" Touch Panel Slim, silver/black/gold

---



3.5" Touch Panel Slim, silver/black/gold

Thermostatic Panel

---

### KNX 5" Touch Panel

- capacitive touch
- 3 colors silver, black, gold
- Standard KNX protocol
- Main KNX functions supported


### KNX 3.5" Touch Panel

- capacitive touch
- 3 colors silver, black, gold
- Standard KNX protocol
- Main KNX functions supported
- KNX 3.5" Thermostatic Panel for HVAC control

# ◆ Main Business

## Smart Building - KNX Building Automation System - Panels

---



55mm series: Push Button Sensor Plus, 1/2/3/4-gang, b/w ; KNX Thermostat, b/w

---



6-Button Touch Panel Slim, silver/black/gold

6-Button Touch Panel, classic

---

### Standard European KNX Push Button Series

- 1/2/3/4-gang KNX push button 55mm
- KNX Thermostat 55mm
- White/black, matt/shiny finish available
- 100% fits Gira, Jung, Siemens, Hager frame

### 6-Button Touch Panel


- KNX touch button
- RGB led indicators
- Customization on icons

# ◆ Main Business

Globe Value Service

## Smart Building - KNX Building Automation System - Panels

---



### KNX Input Device

- Brightness & Motion Sensor
- Air quality sensor
- Universal Interface 4-fold
- Binary Input 4-fold
- IR Transmitter, IR Learner



### KNX Converter/Gateway

- KNX/RS485 Converter
- KNX/RS232 Converter
- KNX/IP Interface
- easyControl APP Server



### KNX System Device

- KNX Power Supply 640mA
- KNX/IP Router
- KNX Line Coupler
- KNX/RF Transceiver
- KNX/USB Interface



# ◆ Main Business

## Smart Building - KNX Building Automation System - App service



easyControl App Gateway

- Support max. 5 channels data conversion between KNX & RS485/232
- Built-in Apache server and SQL database
- Support server login via web browser
- Support online programming
- App available for remote control via cloud service
- All typical KNX functions supported



# ◆ Main Business

## Smart Building - CBU Product - WIFI Thermostat

### Smart Wi-Fi Thermostat

Color Touch Screen

Amazon Alexa/ Google Home

Remote Control

Supports IOS / Android



Wi-Fi Thermostat – Model TJ-919



Wi-Fi Thermostat – Model TJ-610

# ◆ Main Business


## Smart Health Care - Medical & Elderly Care Solution

---



Smart Ward Call Components

---



Smart Hospital Infusion System

---



Elderly Care System

---



Smart Nursing Components

---

---

# Project & Partner

---


03

# ◆ Project & Partner

## Main projects and clients location

Germany France Switzerland Italy Spain Portugal Czech Austria  
 Norway Finland Sweden Estonia Latvia Belarus Russia  
 Romania Hungary Slovenia Greece Poland Turkey  
 Cyprus Ireland Latvia England Netherland Belgium

 **1500+ Partners**



**102**

Country & Region

**987**

Clients

**1,060,000**


Products shipped

**8970**

Projects installed

# ◆ Project & Partner

Globe Value Service



## Guangzhou Subway Project

Location: Guangzhou, China

Details: KNX in line 13, 14, 21, altogether 40 stations

GVS has finished the KNX automation part in the latest THREE Guangzhou new subway lines. The whole project has already been finished at the end of 2018. It is now the LARGEST KNX AUTOMATION SYSTEM being applied in subway systems worldwide.

# ◆ Project & Partner

## The Imperial Palace Museum

Location: Beijing, China

Details: KNX in the new digital multi-media hall

By using K-BUS solution, the old Imperial Palace Museum has come to life again after so many years quietness, with an integrated solution including lighting, shutter, background music, security, the museum and the meeting hall has realized the modern functions and automation easily.





### **Falkensteiner Schosshotel Velden**

Location: Velden am Worthersee, Austria

Details: KNX 5" Touch Panel for renovation

The Falkensteiner Schosshotel Velden, as a hotel of the leading hotels worldwide, has a KNX system installed 10 years ago by ABB i-bus. With the help of the classy K-BUS 5" Touch Panel from GVS, the renovation work was a big success, helping this famous 5-Star hotel shine again after years of worn-out KNX automation system.



### **Fairmont Abu Dhabi Hotel**

Location: Abu Dhabi, UAE

Details: KNX Thermostatic Panel

Benefit from the exclusively designed thermostat from GVS, the system integrators have successfully integrated 1,500 pcs of K-BUS thermostatic panel along with several other brands to automate the most luxurious Fairmont Abu Dhabi Hotel in Abu Dhabi.

## ◆ Project & Partner

Globe Value Service



### Kuala Lumpur Eco City

Location: Kuala Lumpur, Malaysia

Details: KNX Thermostatic Panel

As a special business & residential complex, the KL Eco City in Malaysia has planned environmentally friendly systems, among which KNX is one of the most important factor. Over 1,500 pcs of K-BUS devices have contributed to the automation of the building, helping the project win the first GBI Gold Medal in Malaysia.



# ◆ Project & Partner

Globe Value Service

## Other featured KNX projects



Estonian National Museum



Beijing Olympic Museum



Golf Villas in Suzhou



CR Land in Nanjing



The Trial Court Building In Jinnan, China



Wanshan Hotel in Zhuhai



News Gathering Center



Zhongguancun Internet Financial Center



New World Villas in Foshan



1865 Pioneer Park in Nanjing



Wuxi Taihu International Expo Center



COFCO Beijing Future Technology City project

# ◆ Project & Partner

Globe Value Service



## Smart Istanbul Residential Condo

Location: Istanbul, Turkey

Details: 3000 residential apartments with IP VDP

Device Used: H-IS01 7" Indoor Monitor  
H-OS02 4.3" Outdoor Station  
H-VS01 Mini Outdoor Station  
H-SW 6+2 PoW Switch  
H-GU01 Guard Unit  
H-Cam IP Camera Gateway

Contractor: B Company ; ODM

Supplier: GVS

# ◆ Project & Partner

Globe Value Service

## Yun Shan Shi Yi Condo

Location: Guangzhou, China

Details: 1,600 residential apartments with IP VDP

- Device Used:
- H-IS01 7" Indoor Monitor
  - H-OS02 4.3" Outdoor Station
  - H-VS01 Mini Outdoor Station
  - H-SW 6+2 PoW Switch
  - H-GU01 Guard Unit
  - H-Cam IP Camera Gateway

Contractor: Fang Yuan Real Estate; OEM Supplier:  
GVS Company



# ◆ Project & Partner

Globe Value Service



## Champs-Elysees Residential Condo

Location: Chong Qing, China

Details: 1,200 residential apartments with IP VDP

Contractor: Trendzone Decoration; OEM

Supplier: GVS Company



# ◆ Project & Partner



## Other featured VDP projects



Wuxi Spring Garden

Bohai Building

Meygoon  
Skiing Site  
Condo



Shanghai Hong Jun Villas

# ◆ Project & Partner

## Strategic Partners in Real Estate Industry





# THANKS

Together, we can make it smarter and better.

[www.7-mars.com](http://www.7-mars.com)