

Ground Recessed LED Light

LED地埋灯系列



Specification 产品参数

Item No. 产品型号	KOL-403
LED Brand/LED品牌	OSRAM/CREE
LED Q' ty/LED颗数	1Pc SMD 3535
Rated Power/额定功率	1W
Input Volt/输入电压	DC 12V / 24V
Color/颜色	2700K-6500K, R, G, B, Y, RGB, RGBW
Beam Angle/发光角度	7°, 10°, 15°, 25°, 30°, 45°, 60°, 90°
Control Way/控制方式	On-Off / DMX512
LED Life/LED寿命	50000h
IP Rating/防水等级	IP 68
Size/尺寸	D35*H55mm
Enclosure Material/外壳材质	Whole 304 stainless steel 灯体全不锈钢
Glass/玻璃	Tempered glass, clear/frosted treatment
Cutout/开孔	30mm
Installation Way/安装方式	Recessed


Ground Recessed LED Light

LED地埋灯系列






Honeycomb




Specification 产品参数

Item No. 产品型号	KOL-405A	KOL-405B	KOL-405C	KOL-405D
LED Brand/LED品牌	Osram/Bridgelux/Cree			
LED Q'ty/LED颗数	1Pc	1Pc	1Pc	3Pcs
Rated Power/额定功率	1W	1W	1W	3W
Input Volt/输入电压	DC 12V / DC 24V			
Color/颜色	2700K-6500K,R, G, B, Y, RGB, RGBW			
Beam Angle/发光角度	10°, 15°, 25°, 30°, 45°, 60°			
Control Way/控制方式	On-Off / DMX512			
LED Life/LED寿命	50000h			
IP Rating/防水等级	IP 68			
Glass/玻璃	Tempered glass, Clear / Frosted treatment			
Enclosure Material/外壳材质	Whole 304/316 stainless steel 灯体全不锈钢			
Size/尺寸	L42*W42*H75	L52*W52*H85	L62*W62*H85	L75*W75*H95
Cutout/开孔	36mm	46mm	56mm	67mm
Honeycomb/蜂窝网	Option			






KOL-406A




KOL-406B



KOL-406C




KOL-406D



KOL-406E

Anti-glare accessory



Honeycomb

Specification 产品参数

Item No. 产品型号	KOL-406A	KOL-406B	KOL-406C	KOL-406D	KOL-406E
LED Brand/LED品牌	Osram/Bridgelux/Cree				
LED Q' ty/LED颗数	3Pc	6Pcs	7Pcs	9Pcs	12Pcs
Rated Power/额定功率	3W	6W	7W	9W	12W
Input Volt/输入电压	DC 24V / AC 100-265V				
Color/颜色	1800-6500K, R, G, B, Y, RGB, RGBW				
Beam Angle/发光角度	7°, 10°, 15°, 25°, 30°, 45°, 60°, 90°				
Control Way/控制方式	On-Off / DMX512				
LED Life/LED寿命	50000h				
IP Rating/防水等级	IP 67				
Load capacity/承重	IK 10, Max 2000Kg load				
Enclosure Material/外壳材质	Die-cast Aluminum+Stainless steel trim 压铸铝灯体+不锈钢面盖				
Size/尺寸	D100*H80	D130*H95	D150*H95	D160*H95	D180*H95
Cutout/开孔	95mm	115mm	125mm	143mm	155mm
Honeycomb/蜂窝网	Option				

