Product datasheet

Specifications





Safety switch, heavy duty, fusible, 600A, 3 wire, 3 pole, 500hp, 600VAC/DC, NEMA 12

H366AWK

Main

| Product | Single Throw Safety Switch | |
|---------------------------|--|--|
| Duty Rating | Heavy duty | |
| Device application | Heavy application | |
| Disconnect Type | Fusible disconnect | |
| Factory Installed Neutral | None | |
| Network number of phases | 3 phases | |
| Number of Poles | 3 | |
| Current Rating | ating 600 A | |
| Voltage Rating | 600 V AC/DC | |
| Enclosure Rating | NEMA 3R/12 galvannealed steel | |
| Motor power hp | 150 hp at 480 V AC 5060 Hz for 3 phases motors 400 hp at 480 V AC 5060 Hz for 3 phases motors 200 hp at 600 V AC 5060 Hz for 3 phases motors 500 hp at 600 V AC 5060 Hz for 3 phases motors 50 hp at 250 V DC 50 hp at 600 V DC | |

Complementary

| Short-circuit current | 10 kA for H or K 200 kA for R or J | |
|-----------------------|---------------------------------------|--|
| Fuse type | H or K R or J | |
| Mounting Type | Surface | |
| Electrical Connection | Lugs | |
| Wiring configuration | 3-wire | |
| Wire Size | AWG 3/0500 kcmil copper or aluminium | |
| Tightening torque | 42.4 N.m (AWG 3/0500 kcmil) | |
| Depth | 257.30 mm | |
| Width | 666.75 mm | |
| Height | 1174.75 mm | |
| Net weight | 77.1 kg | |

Environment

Certifications UL listed file E2875

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|-----------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 130.8 cm |
| Package 1 Width | 67.1 cm |
| Package 1 Length | 33.0 cm |
| Package 1 Weight | 79.379 kg |

Contractual warranty

Warranty 18 months



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

| ⊘ | Mercury Free | |
|----------|------------------------------------|-----|
| ② | Rohs Exemption Information | Yes |
| Ø | Pvc Free | |
| ⊘ | Halogen Free Plastic Parts Product | |

Certifications & Standards

| Reach Regulation | REACh Declaration |
|--------------------------|---|
| Eu Rohs Directive | Compliant with Exemptions |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |