Product datasheet

Specifications





Safety switch, heavy duty, fusible, 800A, 3 wire, 3 pole, 500hp, 600VAC/DC, NEMA 1

H367

Main

mann		
Product	Single Throw Safety Switch	
Duty Rating	Heavy duty	
Device application	Heavy application	
Disconnect Type	Fusible disconnect	
Factory Installed Neutral	None	
Network number of phases	3 phases	
Number of Poles	3	
Current Rating	800 A	
Voltage Rating	600 V AC/DC	
Enclosure Rating	NEMA 1 steel	
Motor power hp	200 hp at 480 V AC 5060 Hz for 3 phases motors 500 hp at 480 V AC 5060 Hz for 3 phases motors 250 hp at 600 V AC 5060 Hz for 3 phases motors 500 hp at 600 V AC 5060 Hz for 3 phases motors 50 hp at 600 V DC	

Complementary

Short-circuit current	200 kA maximum for L	
Fuse type	L	
Mounting Type	Surface	
Electrical Connection	Lugs	
Wiring configuration	3-wire	
Wire Size	AWG 3/0750 kcmil copper or aluminium	
Tightening torque	42.4 N.m for 85.01380 mm² (AWG 3/0750 kcmil)	
Depth	450.85 mm	
Width	930.15 mm	
Height	1755.90 mm	
Net weight	167.8 kg	

Environment

Certifications UL listed file E2875

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1	1	
Package 1 Height	187.452 cm	
Package 1 Width	76.200 cm	
Package 1 Length	96.520 cm	
Package 1 Weight	162.386 kg	

Contractual warranty

Warranty 18 months



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance


⊘	Mercury Free	
②	Rohs Exemption Information	Yes
Ø	Pvc Free	
⊘	Halogen Free Plastic Parts Product	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Technical Illustration

Dimensions



ALL DIMENSIONS ARE APPROXIMATE. REFER TO TECHNICAL DRAWINGS AND DOCUMENTS FOR COMPLETE INFORMATION.

Image of product / Alternate images

Alternative



