# **Product datasheet**

Specifications





Safety switch, heavy duty, fusible, 400A, 3 wire, 3 pole, 250hp, 600VAC/DC, NEMA 3R

H365R

### Main

Product	Single Throw Safety Switch
Duty Rating	Heavy duty
Device application	Heavy application
Disconnect Type	Fusible disconnect
Factory Installed Neutral	None
Network number of phases	3 phases
Number of Poles	3
Current Rating	400 A
Voltage Rating	600 V AC/DC
Enclosure Rating	NEMA 3R galvannealed steel
Motor power hp	100 hp at 480 V AC 5060 Hz for 3 phases motors 250 hp at 480 V AC 5060 Hz for 3 phases motors 125 hp at 600 V AC 5060 Hz for 3 phases motors 350 hp at 600 V AC 5060 Hz for 3 phases motors 50 hp at 250 V DC 50 hp at 600 V DC

## Complementary

Short-circuit current	10 kA for H or K 200 kA for R or J
Fuse type	H or K R or J
Mounting Type	Surface
Electrical Connection	Lugs
Wiring configuration	3-wire
Wire Size	AWG 1/0750 kcmil copper or aluminium
Tightening torque	62.1 N.m (AWG 1/0750 kcmil)
Depth	257.30 mm
Width	708.15 mm
Height	1277.87 mm
Net weight	83.9 kg

### Environment

Certifications

UL listed file E2875

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	35.6 cm
Package 1 Width	72.4 cm
Package 1 Length	130.8 cm
Package 1 Weight	82.1 kg

## **Contractual warranty**

Warranty

18 months

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Mercury Free
Rohs Exemption Information Yes
Pvc Free
Halogen Free Plastic Parts Product

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations