



—  
your partner  
in sensor  
technology.

# + Datasheet Humidity Calibration Kit



# Humidity Calibration Kit

The E+E Humidity Calibration Kit offers a cost-effective method for calibrating humidity measuring devices with sensing probe diameter of 10-12 mm (0.4-0.47 inch). It is very easy to use and it does not require highly qualified technical staff. The kit consists of a humidity calibration chamber and a choice of E+E Humidity Standard Sets.

## E+E Humidity Standard

The E+E Humidity Standards are non-saturated salt solutions available in sets of five or fifty single-use ampoules, which may be stored an indefinite time. Observe the safety instructions given on the label or refer to the safety datasheet, which is available on request.

Each E+E Humidity Standard Set is supplied with a traceable calibration certificate, issued by the Austrian National Metrology Institute (NMI).



Calibration chamber



Humidity standard set



Calibration certificate

# E+E Humidity Standards

## Accuracy


Humidity value	Accuracy @ 23 °C (73.4 °F)
0 % RH	±0.3 % RH
5 % RH	±0.5 % RH
10 % RH	±0.5 % RH
20 % RH	±0.5 % RH
35 % RH	±0.5 % RH
50 % RH	±0.9 % RH
65 % RH	±0.9 % RH
80 % RH	±1.2 % RH
95 % RH	±1.2 % RH

For calibration procedure using the Humidity Calibration Kit please regard to the User Manual at [www.epluse.com/fileadmin/data/product/HumidityCalibrationSet/BA\\_CalibrationInstruction\\_e.pdf](http://www.epluse.com/fileadmin/data/product/HumidityCalibrationSet/BA_CalibrationInstruction_e.pdf).

## Ordering Guide

Description	Code
<b>Humidity standard<sup>1)</sup></b> 5 ampoules 0 % RH + 5 textile pads 5 ampoules 5 % RH + 5 textile pads 5 ampoules 10 % RH + 5 textile pads 5 ampoules 20 % RH + 5 textile pads 5 ampoules 35 % RH + 5 textile pads 5 ampoules 50 % RH + 5 textile pads 5 ampoules 65 % RH + 5 textile pads 5 ampoules 80 % RH + 5 textile pads 5 ampoules 95 % RH + 5 textile pads	HA010400 HA010405 HA010410 HA010420 HA010435 HA010435 HA010450 HA010465 HA010480 HA010495
<b>Humidity standard<sup>1)</sup></b> 50 ampoules 0 % RH 50 ampoules 5 % RH 50 ampoules 10 % RH 50 ampoules 20 % RH 50 ampoules 35 % RH 50 ampoules 50 % RH 50 ampoules 65 % RH 50 ampoules 80 % RH 50 ampoules 95 % RH	HA011500 HA011505 HA011510 HA011520 HA011535 HA011550 HA011565 HA011580 HA011595
<b>Calibration Chamber</b> for sensor probes Ø10- 12 mm (0.4 - 0.47")	HA010401
<b>Textile pads</b> 50 pcs. packed	HA010498

1) Each ampoule contains 1 ml of the appropriate solution



Company Headquarters &  
Production Site

**E+E Elektronik Ges.m.b.H.**  
Langwiesen 7  
4209 Engerwitzdorf | Austria  
T +43 7235 605-0  
F +43 7235 605-8  
info@epluse.com  
www.epluse.com

Subsidiaries

**E+E Sensor Technology (Shanghai) Co., Ltd.**  
T +86 21 6117 6129  
info@epluse.cn

**E+E Elektronik France SARL**  
T +33 4 74 72 35 82  
info.fr@epluse.com

**E+E Elektronik Deutschland GmbH**  
T +49 6171 69411-0  
info.de@epluse.com

**E+E Elektronik India Private Limited**  
T +91 990 440 5400  
info.in@epluse.com

**E+E Elektronik Italia S.r.l.**  
T +39 02 2707 86 36  
info.it@epluse.com

**E+E Elektronik Korea Ltd.**  
T +82 31 732 6050  
info.kr@epluse.com

**E+E Elektronik Corporation**  
T +1 847 490 0520  
info.us@epluse.com



—  
your partner  
in sensor  
technology.