



SEVENMARS-TECHNOLOGY CO.,LTD.

Vending Machine (ตู้จำหน่ายสินค้าอัตโนมัติ)

Sevenmars-Technology ผู้นำด้านตู้ Vending Machine ในประเทศไทย

Sevenmars-Technology ติดตั้งและจำหน่ายตู้ Vending Machine พร้อมช่วยสนับสนุนการขายสินค้าด้วยเทคโนโลยีที่ทันสมัยเลือกได้ทุกความต้องการที่ออกแบบมาให้สามารถครอบคลุมได้ทุกการใช้งานให้คุณเลือก จำหน่ายสินค้าอัตโนมัติให้ตอบโจทย์ได้ทุกความต้องการในทุกสินค้าและผลิตภัณฑ์ของคุณเลือกอุปกรณ์ตู้ Vending Machine สำหรับจำหน่ายสินค้าอัตโนมัติจาก Sevenmars-Technology

ตู้ Vending Machine คืออะไร

ตู้ Vending Machine คือ ตู้จำหน่ายสินค้าอัตโนมัติที่เราคุ้นเคยกันดีนั่นเอง ตู้ Vending Machine สามารถมาทดแทนการลงทุนเปิดหน้าร้านได้ และใช้พื้นที่น้อย ไม่ต้องใช้แรงงาน ลดค่าใช้จ่ายที่ไม่จำเป็น สามารถควบคุมระบบคลังสินค้าผ่านออนไลน์ได้ง่าย ๆ โดยจะมีระบบที่ออกแบบมาเพื่อใช้ตรวจสอบการทำงานของตู้ Vending

Machine โดยเฉพาะ เช่น ตู้จำหน่ายเครื่องดื่ม ตู้จำหน่ายอาหาร หรือสินค้าอื่น ๆ เพื่อให้ข้อมูลส่วนนี้ไปบริหารจัดการในด้านต่าง ๆ ได้ เช่น วิเคราะห์การขาย สินค้า

ขายดีวิเคราะห์การทำงานและตรวจสอบอุณหภูมิ วิเคราะห์ถึงการทำงานที่ผิดปกติของตู้ได้ ทำให้ตู้จำหน่ายสินค้าอัตโนมัติ เป็นอีกหนึ่งตัวเลือกที่น่าสนใจในการนำไป

จำหน่ายสินค้าของคุณนั่นเอง และยังช่วยเพิ่มประสิทธิภาพการทำงานให้มีศักยภาพมากขึ้นด้วย

หลักการทำงานของตู้ Vending Machine

ตู้ Vending Machine จาก Sevenmars-Technology สามารถปรับแต่งการทำงานได้หลากหลาย ทั้งในด้านการออกแบบ-รูปลักษณ์ของตู้จำหน่ายสินค้าอัตโนมัติ การทำงาน จำนวน - ขนาดช่อง จนไปถึงระบบซอฟต์แวร์ต่าง ๆ ตามความต้องการ หรือสินค้าที่จำหน่าย ทั้งยังสามารถเสริมอุปกรณ์ต่าง ๆ ที่ช่วยตอบโจทย์กับการใช้งานได้ อาทิ เครื่องไมโครเวฟ ระบบรักษาความเย็นได้สูงถึง -18 องศา เป็นต้น

ตู้ Vending Machine เหมาะสำหรับขายสินค้าอะไร

ตู้ Vending Machine จาก Sevenmars-Technology รองรับการขายสินค้าได้ทุกประเภท ไม่ว่าจะเป็น นวัตกรรมสด-แห้ง-แช่แข็ง ของเล่น-ของชำร่วยต่าง ๆ ซึ่งของชิ้นใหญ่ หรือของเปราะบางก็สามารถขายได้ ด้วยระบบและรูปแบบของตู้จำหน่ายสินค้าอัตโนมัติที่มีให้เลือกอย่างหลากหลาย ไม่ว่าจะเป็นตู้ระบบลิฟต์รับสินค้า ตู้ระบบ

ลิคเกอร์ ตู้ระบบแขวนสินค้า จนไปถึงตู้ที่มีระบบควบคุมอุณหภูมิ และอื่น ๆ อีกมากมาย เพื่อให้สามารถรองรับสินค้าได้ทุกประเภท

ทำไมถึงต้องเลือกตู้ Vending Machine จาก Sevenmars-Technology

การเลือกใช้ อุปกรณ์ ที่ประสิทธิภาพ จะช่วยให้ บรรลุจุดประสงค์ ทางการตลาดหรือจุดประสงค์ อื่น ๆ ที่คุณตั้งไว้ ได้ง่ายขึ้นตู้ Vending Machine จาก Sevenmars-Technology เป็นตู้

จำหน่ายสินค้าอัตโนมัตินวัตกรรมใหม่ ที่มีการรองรับและขายสินค้าได้ หลากหลายประเภท ด้วยระบบผู้ ที่มีให้ เลือกหลากหลายและยังสามารถปรับแต่งเพิ่มเติมได้ตาม ต้องการสามารถช่วยตอบโจทย์ ด้านการใช้งานของคุณได้อย่างดี ดีไซน์ สวยงามโดดเด่น ทันสมัย

อุปกรณ์ ของเรามีมาตรฐาน นำเข้าจากต่างประเทศ เชื่อถือได้ และได้รับการไว้ วางใจจากลูกค้าองค์กรชั้นนำมากมายที่เลือกใช้ตู้จำหน่ายสินค้าอัตโนมัติจาก Sevenmars-Technology และที่สำคัญคือยังมีบริการตั้งแต่ ออกแบบ-ผลิต-ติดตั้ง - บริการหลังการขาย เป็น One stop Service ที่ครบจบในที่เดียวจริง ๆ

Service & Distributor :



Address : 442/2 Chan Road , Thungwatdon, Saton Bangkok Thailand 10120

www.7-mars.com, Email : info@7mars.com Tel : +66 (02) 114 7145-9 Auto 5Line Ext. Sales & Service Department

COFFEE VENDING MACHINE

- **LE303V** Coin Operated Coffee Vending Machine
- **LE302B** Coin Operated Turkish Coffee Vending Machine
- **LE307A** Table Type Smart Fresh Ground Coffee Vending Machine
- **LE308B** Hot Fresh Ground Coffee Vending Machine
- **LE308F** Ice/Hot Fresh Ground Coffee Vending Machine
- **LE308E** Cold/Hot Fresh Ground Coffee Vending Machine
- **Ice Maker**


Ice/ hot Espresso, American coffee, cappuccino, latte macchiato, latte, Moca, chocolate milk, hot milk, hot cocoa, classic milk tea, and warm black tea.



Workshop



Coin Operated Coffee Vending Machine



Specifications

Model No.: LE303V

Dimension: H 675x W 300x D 540mm

N.W / G. W: 17 kg / 21kg

Rated Voltage: 220V/50Hz or 110V/60Hz

Rated Power/ Standby: 1000W/ 30W Payment

System: Coin

Application: Indoor Temperature 2~38 °C

Water Heater Capacity: 1.6L

Water Tank Capacity: 3L

Canister Quantity: 3 pcs (capacity 2L each)

Available Drinks: 3 types hot premixed drinks

Water Supply: Bucket water on top;

Water pump: Optional

Stirring Motor speed: 12000 rpm

Cup Supply: Automatic cup dispenser

Cup Storage: 6.5 ounces/ 60pcs or 9 ounces /50pc Fault

Alarm: Fault self-diagnosis system

Available drinks: Instant coffee, Milk, Milk tea, Juice, Chocolate, Cocoa,etc

Application: Convenience stores, gyms, libraries, 4S stores,Office,factory, school, etc.

Display



Coin Operated Coffee Vending Machine



Specifications

Model No.: LE302B

Dimension: H 700 x W 430x D 580mm

N.W / G. W: 36 kg / 41kg

Rated Voltage: 220V/50Hz or 110V/60Hz

Rated Power/ Standby: 1600W/ 30W Payment

System: Coin

Application: Indoor temperature 2~38 °C

Water Heater Capacity: 1.6L

Water Tank Capacity: 3L

Canister Quantity: 4 pcs (capacity 2L each)

Available Drinks: 6 types hot premixed drinks

Water Supply: Bucket water on top;

Water pump : Optional

Stirring Motor Speed: 12000 rpm

Cup Supply: Automatic cup dispenser

Cup Storage: 6.5 ounces/100pcs or 9 ounces/90pc Fault

Alarm: Fault self-diagnosis system

Optional Function: Turkish Coffee

Available drinks: 6 kinds a hot drinks including Instant coffee, Turkish coffee, Milk, Milk tea, Juice, Chocolate, Cocoa, etc

Application: Convenience stores, gyms, libraries, 4S stores, Office, factory, school, etc

Display



Fresh Ground Coffee Vending Machine



Specifications

Model No.: LE307A

Machine Dimension: 1000 (H) x 438 (W) x 540 (D) mm Base

Cabinet Size: 435 (H) x 435 (W) x 790 (D) mm

N. W/ G. W: 52 kg

Display Screen: 17-inch touch screen Rated

Voltage: 220V/50Hz or 110V/50Hz Rated

Power: 1600W/standby 60W

**Payment Method: Mobile QR code payment
(WeChat/Alipay/Others)**

Cash Payment: Not supported Application:

Indoor temperature 2~38 °C

PC: Android7.1 operation system

Water Supply: Bucket water with water pump

Heating: Boiler heating

Extraction Method: Pumping pressure

Canister: 4 (1 for coffee bean + 3 for instant powder) Waste

Water box: 1 pc

Dry Waste box: 1 pc

Powder Stirring Speed: 12000 rpm


Networking Mode: 3G/4G/Wi-Fi/Network Cable

**Management System: PC terminal + mobile terminal PTZ
management**

Available drinks: 9 kinds of hot beverages including espresso, American coffee, cappuccino, latte macchiato, latte, Moca, chocolate milk, etc.

Application: restaurant, convenience stores, Internet cafes, office building, metro station, shopping mall, cafeterias, hospitals/clinics, university, gyms/entertainment centers, etc.;

Display



Hot Fresh Ground Coffee Vending Machine



Specifications

Model No.: LE308B

Dimension: 1828 (H) x 560(W) x 665(D)mm

N. W: 135kg

Display Screen: 21.5-inch touch screen Rated

Voltage: 220V/50Hz or 110V/50Hz Rated

Power: 1600W/standby 65W

Payment supported: Cash payment, Bank card reader, ID card Reader, Mobile QR code, etc

Application: Indoor temperature 2~38 °C

Taste: 16 kinds of hot drinks

PC: Android 7.1 operation system

Grinder: 230~280 MESH, particle thickness: 0.05~0.06mm

Brewer Capacity: 13ml(6.5g)

Brewing Pressure: 0.65 ± 0.1 Mpa (Visible) Water

Supply: Bucket water with water pump Heating:

Boiler heating

Sterilization: Time-controlled UV sterilization for air, UV sterilization for water supply

Extraction Method: pumping pressure

Canister: 6(1 for coffee bean + 5 for instant powder) Auto

Cup Dispenser: Yes (cup size 7 ounce)

Auto Stir-stick Dispenser: Yes

Waste Box: 2 pcs

Powder Stirring Speed: 12000 rpm

Networking Mode: 3G/4G/Wi-Fi/Network Cable Management

Platform: PC terminal + mobile terminal PTZ management

Products: 16 kinds of beverages including espresso, American coffee, cappuccino, latte macchiato, latte, Mocha chocolate milk, hot milk, hot cocoa, classic milk tea, and warm black tea.

Scenes: libraries, hospitals/clinics, colleges/universities, office buildings/office buildings/parks, shopping malls/supermarkets, hotels/conference halls/administrative meeting rooms, etc.

Display



Cold/ Hot Fresh Ground Coffee Vending Machine



Specifications

Model No.: LE308E

Dimension: 1938(H) x 700(W) x 800(D)mm

N. W: 180 kg

Display Screen: 21.5-inch touch screen Rated

Voltage: 220V/50Hz or 110V/50Hz Rated

Power: 2050W/standby 100W

Payment Supported: Cash payment, Bank card reader, ID card Reader, Mobile QR code, etc

Application: Indoor temperature 2~38 °C

Taste: 16 kinds of hot drinks

PC: Android 7.1 operation system

Grinder: 230~280 MESH, particle thickness: 0.05~0.06mm

Brewer Capacity: 13ml(6.5g)

Brewing Pressure: 0.65 ± 0.1 Mpa (Visible) Water

Supply: Bucket water with water pump

Sterilization: Time-controlled UV sterilization for air, UV sterilization for water supply

Heating: Boiler heating

Extraction Method: pumping pressure

Canister: 6 (1 for coffee bean + 5 for instant powder) Auto Cup

Dispenser: Yes (cup size 12 ounce/150pcs) Auto Cup Lid

Dispenser: Yes (100pcs)

Waste Box: 3 pcs

Powder Stirring Speed: 12000 rpm



Networking Mode: 3G/4G/Wi-Fi/Network Cable Management

Platform: PC terminal + mobile terminal PTZ management

Products: 16 kinds of beverages including cold/hot espresso, American coffee, cappuccino, latte macchiato, latte, Moca, chocolate milk, hot milk, hot cocoa, classic milk tea, and warm black tea.

Application: libraries, hospitals/clinics, colleges/universities, office buildings/office buildings/parks, shopping malls/supermarkets, hotels/conference halls/administrative meeting rooms, etc.

Display



Hot Fresh Ground Coffee Vending Machine



Specifications

Model No.: LE308G

Dimension: 1938 (H) x 905(W) x 800(D)mm

N. W: 225kg

Display Screen: 32-inch touch screen Rated

Voltage: 220V/50Hz or 110V/50Hz Rated

Power: 2250W/standby 120W

Payment supported: Cash payment, Bank card reader, ID card reader, Mobile QR code, etc

Application: temperature 2~38 °C

Taste: 16 kinds of hot drinks

PC: Android 7.1 operation system

Grinder: 230~280 MESH, particle thickness:
0.05~0.06mm

Brewer Capacity: 13ml(6.5g)

Brewing Pressure: 0.65±0.1Mpa(Visible)

Ice Maker: Yes

Water supply: Bucket water with water pump, 3 buckets water

Sterilization: Time-controlled UV sterilization for air, UV sterilization for water supply

Heating: boiler heating

Extraction method: pumping pressure

Canister: 6 (1 for coffee bean +5 for instant powder) Auto cup

dispenser: Yes (cup size 12 ounce/150pcs) Auto cup lid

dispenser: Yes (capacity 100pc)

Waste box: 3 pcs

Powder stirring speed: 12000 rpm


Networking mode: 3G/4G/Wi-Fi/Network Cable Management

platform: PC terminal + mobile terminal PTZ management

Products: 16 kinds of beverages including ice/ hot espresso, American coffee, cappuccino, latte macchiato, latte, Moca, chocolate milk, hot milk, hot cocoa, classic milk tea, and warm black tea.

Application: libraries, hospitals/clinics, colleges/universities, office buildings/office buildings/parks, shopping malls/supermarkets, hotels/conference halls/administrative meeting rooms, etc.

Display



Snacks& Hot/Cold Drinks Vending Machine



Specifications

Model No.: LE209C

Size: 1938(H)x 1458(W) x 900(D) mm

Net weight: 400 kg

Screen: 21.5 inch touch screen

Rated Voltage: 220V/50Hz or 110V/60Hz

Rated Power: 2250W/standby 120W

Payment supported: Cash payment, Bank Card Reader, ID Card

Reader, Mobile QR code payment

Application: Indoor (2°C~38°C) PC:

Android operation system Water

supply: Bucket water Heating: boiler

heating

Water cooling system: Yes

Water Supply: Bucket water with water pump, 3 buckets water

Heating: Boiler heating

Extraction Method: pumping pressure

Canister: 6 (1 for coffee bean +5 for instant powder) Auto

Cup Dispenser: Yes (cup size 12 ounce)

Auto Cup Lid Dispenser: Yes

Waste Box: 3 pcs

Powder Stirring Speed: 12000 rpm

Networking Mode: 3G/4G/Wi-Fi/Network Cable Management

Platform: PC terminal + mobile terminal PTZ management


Products: 16 kinds of beverages including cold/hot espresso, American coffee, cappuccino, latte macchiato, latte,

Moca, chocolate milk, hot milk, hot cocoa, classic milk tea, and warm black tea.

Application: libraries, hospitals/clinics, colleges/universities, office buildings/office buildings/parks, shopping

malls/supermarkets, hotels/conference halls/administrative meeting rooms, etc.

Display



Ice Maker



Main Features

- **Contactless, Healthy**
- **Filter can be disassembled to clean**
- **Energy-saving, Water saving**
- **Flexible water supply: Tap water or Bucket water**

Specifications

Size: 748(H)x440(W)x 583(D)mm

Net weight: 65 kg

Power specification: 200~230V, 50HZ/60Hz Rated

Power: 400W/standby 20W **Application:** 5~38°C

Placement Requests: more than 20cm away from the wall,
keep air circulation

Ice Storage: 3.2-3.5 kg

Contro: Button

Water tank capacity: 1L

Cooling type: air cooling

Refrigerant: 404a

Weighing error: $\pm 50g$

Water supply mode: tap water/Water pump supply **Pickup
method:** Automatic dispensing

Ice-making capacity: 100kg/24h

Display

