OUJVAN ON LED MACHINE WORK LIGHT SIGNALTOWER LIGHT

Machine tool lamp Machine tool warning light Sheet metal luminous design



Li Zhaolong [OUJVAN Engineering Director, application of machine tool lamp LED light source development]

Industry experience: 13 years. He graduated from South China University of Technology in 2005 and received his master's degree in mechanical Engineering in 2010. Three years after graduation and engaged in mechanical design, he worked as a senior executive of a world-renowned industrial lighting R&D enterprise for six years. In 2009, I replaced the traditional halogen bulb with LED light source and successfully applied it in the machine tool lamp and other industrial lamps through many experiments with my personal ability. I have become one of the well-known engineers in the industry. LED light source machine tool lamp r&d application



Zhang Weidong [OUJVAN Product Quality Director]

I have been engaged in quality management of industrial lighting industry since 2004. I have experience in quality management of Philips Lighting, Panasonic and Juzuo Lighting company. I have participated in drafting related standards of LED industrial lighting. During this period, I won 11 individual patents, the municipal Award for Excellent introduction of talents and the first prize in the Forum of High Engineering.

Distributor: www.7-mars.com +66(02) 114 7145-9 Auto 5Line Email: info@7-mars.com



LED LIGHTING focus on industrial lighting








LED F3









Application:

Engraving machine, EDM, CNC machine and lighting for other machine tools.


Feature:

- 1. Fixed by base. High quality flexible hose with good hardness, fast and precise positioning as you wish.
- 2: 1—3w high power LED light beads, perfect design to achieve water—proof and oil proof.

PRODUCT PARAMETERS

	Lumen	5W400lm
	Efficiency	80 lm/W
	CRI	>80
10000	Beam angle	30°
	IP rating	IP67
1.09	Temperature	<60°C
	Life	70,000H
	Color	Black
	Material	lamp body : Aluminum alloy lampshade : Toughened glass base : PA+15%GF
	Installation	Fixed by screw

CODING PRINCIPLE




Model No	F3
Voltage	01、AC/DC12V; 02、AC/DC24V; 03、AC220V(50/60Hz)
ССТ	A 2800-3200K B 4000-4500K C 6000-6500K
length of hose	550mm / or custom
Power	5W









PRODUCT PARAMETERS

Lumen	5W500lm
Efficiency	100 lm/W
CRI	>80
Beam angle	30°
IP rating	IP65
Rated current	0.23A(24v)
Life	70,000H
Color	Black
Material	lamp body : Aluminum alloy lampshade : tempered glass base : PA+15%GF
Installation	Fixed by screw

Application:

Application: Area lighting for cnc machine, engraving machine, EDM, milling machine, machining center, grinding machine, etc.


Feature:

- 1. Fixed by base, easy and fast, Joints 270° adjustable. Joints provide accuracy and flexible positioning.

 2: IP65 waterproof rated, resistant to any water, coolants and lubricants.



CODING PRINCIPLE



0	Model No	S1
2	Voltage	02、AC/DC24V;
3	ССТ	B、4000-4500K C、6000-6500K
4	Power	5W
6	Switch	(S) With switch