





ABOUT US

Focus on low voltage electrical products manufacturing field

Shanghai Yuhuang Electric Co., Ltd is a high-tech enterprise that specialized in developing and manufacturing low voltage electrical components, molded case circuit breaker(MCCB),air circuit breaker,miniatute circuit breaker,automatic transfer switch(ATS),isolation switch,control and protection switch and etc.

Precision manufacturing process

Through the British Lloyd's ISO9001 system certification, all products have passed the most stringent testing requirements stipulated by GB and IEC standards, and the reliability reaches the international advanced level. With the international leading manufacturing technology, tooling and fixture and testing equipments, we adopt efficient and energy-saving production lines to ensure the precision and reliability of our products.

Start in 2004 ,
Continuous excitation and Pursuit of objectives



PRODUCTS

CONTENTS

www.yuyeelectric.com

PC. Automatic Transfer Switch

· YES1-NA Automatic Transfer Switch	01
· YES1-N Automatic Transfer Switch	02
· YES1-N/NT/NA/NAT Automatic Transfer Switch	03
· YES1-M Automatic Transfer Switch	04
· YES1-Q Automatic Transfer Switch	05
· YES1-SA/LA3 Automatic Transfer Switch	06
· YES1-S/LA Automatic Transfer Switch	07
· YES1-S Automatic Transfer Switch	08
· YES1-GA Automatic Transfer Switch	09
· YES1-GN/GN1/GNF Automatic Transfer Switch	10
· YES1-NJT Automatic Transfer Switch	11
· YES1-MA Automatic Transfer Switch	12
· Y-700 ATS controller	13
· Y-701/702 ATS controller	14

CB. Automatic Transfer Switch

· YEQ1-J Automatic Transfer Switch	15
· YEQ3-W1 Automatic Transfer Switch	16

Control And Protection Switch

· YECPS2 Control and protection Switch	17
--	----

Moulded Case Circuit Breaker

· YEM3 Moulded case circuit breaker	18
· YEM3Z Adjustable Type Circuit Breaker	19
· YEM3L With Residual Current Circuit Breaker	20
· YEM1 Moulded Case Circuit Breaker	21
· YEM1L With Residual Current Circuit Breaker	22
· YEM1E Adjustable Type Circuit Breaker	23

Air Circuit Breaker

· YEW1 Air Circuit Breaker	24
----------------------------	----

Load Isolation Switch

· YGL-63~100 Load Isolation Switch	25
· YGL-125~630 Load Isolation Switch	26
· YGL-800~1600 Load Isolation Switch	27
· YGL-2000~3150 Load Isolation Switch	28
· YGLZ1-125~3150 Manual Changeover Switch	29

Miniature Circuit Breaker

· YEB1 Miniature Circuit Breaker	30
· YEB1LE Miniature Circuit Breaker	31
· YENC Miniature Circuit Breaker	32
· YENCLE Miniature Circuit Breaker	33
· YEPN Miniature Circuit Breaker	34
· YEPNLE Miniature Circuit Breaker	35

DC System Switch

· YEM3D DC Plastic Shell Type Circuit Breaker	36
· YES1-NZ DC Automatic Transfer Switch	37

YES1-32 ~ 125NA

AUTOMATIC TRANSFER SWITCH



Product Type



Name	Content		
Enterprise code	Shanghai Yuhuang Electric Co.,Ltd		
Product category	PC Class Automatic Transfer Switch		
Design code	1		
Current rank	Product code	Current rank	
	NA	32A,63A,125A	
Product code	Product code	Working current	Features
	NA	16A~125A	Integral type, 2 positions, intelligent,
Pole	3P ,4P		
Rated current	16A~125A		
Working mode	R=Self-input and self-recover B=II circuit first F: Utility- Generator T=Communication		

Technical parameter


Model \ Type		YES1-32NA			YES1-63NA			YES1-125NA		
Rated current (A)		16,20,25,32			40,50,63			80,100,125		
Rated control current (A)					5					
Rated short circuit current (kA)					10					
The rated impulse withstand voltage (kV)					8					
Usingzation Category					AC-33B					
Service life	Mechanical				20000					
	Electric				6000					
Pole		2P	3P	4P	2P	3P	4P	2P	3P	4P
Operating cycle(s/time)					10					

YES1-32 ~ 125N

AUTOMATIC TRANSFER SWITCH



Product Type



Name	Content		
Enterprise code	Shanghai Yuhuang Electric Co.,Ltd		
Product category	PC Class Automatic Transfer Switch		
Design code	1		
Current rank	Product code	Current rank	
	N	32A,63A,125A	
Product code	Product code	Working current	Features
	N	16A~125A	Split type , 2 positions, terminal wiring type block connect
Pole	3P ,4P		
Rated current	16A~125A		
Working mode	R=Self-input and self-recover B=II circuit first F: Utility- Generator T=Communication		

Technical parameter

Model \ Type		YES1-32N			YES1-63N			YES1-125N		
Rated current (A)		16,20,25,32			40,50,63			80,100,125		
Rated control current (A)					5					
Rated short circuit current (kA)					10					
The rated impulse withstand voltage (kV)					8					
Usingzation Category					AC-33B					
Service life	Mechanical				20000					
	Electric				6000					
Pole		2P	3P	4P	2P	3P	4P	2P	3P	4P
Operating cycle(s/time)					10					



Thailand Service & Distributor :

Energy Power Save CO.,LTD.

442/2 Chan Road, Thung Watdon Sathon Bangkok Thailand 10120 Office Tel : +66 (02) 114 7145-9 Auto 5Line Email : info@7-mars.com
www.7-mars.com, www.siamenergysaving.com Hotline Service : +66 096 4501250 Mr. Puvanat Saikaew