

Smart hotel terminal solution Intelligent electronic switch manufacture



Thailand Distributor :

Energy Power Save CO.,LTD

442/2 Chan Road, Thungwatdon Sathon Bangkok Thailand 10120

www.7-mars.com, Email : info@7-mars.com, Office Tel : +66 (02) 114 7145-9 Ext. Sales

Hotline Call + +66 096 450 1250



Extreme Series Plastic Slab Switch

至尊系列

远离喧嚣，
触动智能之美，
开启时尚成功之旅！



大尺寸 | 大按键 | 更大气

航空铝边框设计，产品硬度高，解决了市场上同款产品塑料边框安装时因墙面不平或安装人员操作差异性导致的产品变形使产品卡键和影响产品美观。



Extreme Series Plastic Slab Switch

至尊系列

远离喧嚣，
触动智能之美，
开启时尚成功之旅！



Features

The height of the product is increased to 90mm. full large button design is more atmospheric, inheriting people's first love for mechanical switches.

The button sound is crisp, the hand feel is smooth, the flat design is more beautiful, and the popular space aluminum metal frame is more fashionable and noble.

The integrated metal frame is easy to install, time-saving and stable operation

When installing with 86 screws, only the leftmost and rightmost screws of the conjoined panel need to be fixed.



348*90*10MM



262*90*10MM



176*90*10MM



Zunshang series full metal slab switch

尊尚系列全金属大板开关

远离喧嚣，
触动智能之美，
开启时尚成功之旅！



铝机加一体化面板



静音按键



大板轻触按键



按键文字定制



10万次耐力测试



有框或无框可选



面板颜色可多选/定制



弱电485通讯协议
酒店模式，智能家居模式
485通讯信号输出



220V强电带485通讯协议
继电器+485通讯输出



220V强电智能单双控
继电器+同步信号输出



弱电干接点
干接点信号输出



220V强电无线ZigBee协议
继电器+无线ZigBee信号输出

重新定义，墙面美学

免编程 / 高度集成 / 触摸感应 / 高强度航空铝
集成中央空调、地暖、新风等专业设备控制一个智能面板解决所有

智能家居，高端别墅专款

尊尚开关面板重新定义了以往的翘板大板开关，可定制反馈状态灯、可定制按键雕刻文字，是真正的为个性定制而生，每一次惊艳的突破，都凝聚着无尽的想象。尊尚可根据用户情况选择面板颜色，材质有金属和塑料，让使用者有了更多选择和搭配，突破你对开关的想象，功能和趣味使居家更加与众不同，带给你未来科技的美感和别具一格的体验。



Zunshang series full metal slab switch

尊尚系列全金属大板开关

远离喧嚣，
触动智能之美，
开启时尚成功之旅！



90*90*10MM



90*90*10MM



90*90*10MM



90*90*10MM



90*90*10MM



348*90*10MM



262*90*10MM



176*90*10MM



To touch the 6006 Rui A series

轻触6006致睿A系列

远离喧嚣，
触动智能之美，
开启时尚成功之旅！



To touch the 6006 Rui B series

轻触6006致睿B系列

远离喧嚣，
触动智能之美，
开启时尚成功之旅！



Features

Intelligent functions: dual way, multi way, master, welcome mode, sleep mode, leisure mode, etc,
Humanized lighting mode is the first choice for smart hotel, high-end residence and high-end business office.

Humanized two-color backlight design: the white light circle is on when the light on, yellow backlight when the light off. the light position indication is clear at a glance, which is convenient for identification.

Convenient and fast installation method: ultra thin metal frame, integrated base plate and frame,
the latest strong magnetic suction installation, simple installation and low labor cost.

Parameter

Working voltage: AC: 110/220V DC: 5V/12V/24V

Power consumption: <0.2W

Working temperature: -10 °C-50 °C

Working humidity: 0-90%RH

Working life: 100,000 times

Rated power: Resistive load 500W /Gang, inductive load 100W/ Gang



86*86*7MM



172*86*7MM



258*86*7MM



86*86*7MM



86*86*7MM



344*86*7MM



86*86*7MM



172*86*7MM



258*86*7MM



86*86*7MM



86*86*7MM



344*86*7MM



Touch the 6008 Ling Rui A series

轻触6008灵睿A系列

远离喧嚣，
触动智能之美，
开启时尚成功之旅！



无线与有线可选



Touch the 6008 Ling Rui B series

轻触6008灵睿B系列

远离喧嚣，
触动智能之美，
开启时尚成功之旅！



可配面板、边框颜色

Features

Intelligent functions: dual way, multi way, master, welcome mode, sleep mode, leisure mode, etc,
Humanized lighting mode is the first choice for smart hotel, high-end residence and high-end business office.

Humanized two-color backlight design: the white light circle is on when the light on, yellow backlight when the light off. the light position indication is clear at a glance, which is convenient for identification.

Convenient and fast installation method: ultra thin metal frame, integrated base plate and frame,
the latest strong magnetic suction installation, simple installation and low labor cost.

Parameter

Working voltage: AC: 110/220V DC: 5V/12V/24V

Power consumption: <0.2W

Working temperature: -10 °C-50 °C

Working humidity: 0-90%RH

Working life: 100,000 times

Rated power: Resistive load 500W /Gang, inductive load 100W/ Gang



86*86*7MM



172*86*7MM



258*86*7MM



344*86*7MM



Product A series 6011 light touch switch.

品尚A系列6011轻触开关

远离喧嚣，
触动智能之美，
开启时尚成功之旅！



无线与有线可选



Product A series 6011 light touch switch.

品尚B系列6011轻触开关

远离喧嚣，
触动智能之美，
开启时尚成功之旅！



边框面板一体化

Features

Intelligent functions: dual way, multi way, master, welcome mode, sleep mode, leisure mode, etc.
Humanized lighting mode is the first choice for smart hotel, high-end residence and high-end business office.

Humanized two-color backlight design: the white light circle is on when the light on, yellow backlight when the light off. the light position indication is clear at a glance, which is convenient for identification.

Convenient and fast installation method: ultra thin metal frame, integrated base plate and frame, the latest strong magnetic suction installation, simple installation and low labor cost.



86*86*7MM

172*86*7MM

258*86*7MM



344*86*7MM

Parameter

Working voltage: AC: 110/220V DC: 5V/12V/24V

Power consumption: <0.2W

Working temperature: -10 ℃-50 ℃

Working humidity: 0-90%RH

Working life: 100,000 times

Rated power: Resistive load 500W /Gang, inductive load 100W/ Gang



86*86*7MM

172*86*7MM

258*86*7MM



344*86*7MM



Features

Intelligent functions: dual way, multi way, master, welcome mode, sleep mode, leisure mode, etc.
Humanized lighting mode is the first choice for smart hotel, high-end residence and high-end business office.

Humanized two-color backlight design: the white light circle is on when the light on, yellow backlight when the light off. the light position indication is clear at a glance, which is convenient for identification.

Convenient and fast installation method: ultra thin metal frame, integrated base plate and frame, the latest strong magnetic suction installation, simple installation and low labor cost.

Parameter

Working voltage: AC: 110/220V DC: 5V/12V/24V

Power consumption: <0.2W

Working temperature: -10 ℃-50 ℃

Working humidity: 0-90%RH

Working life: 100,000 times

Rated power: Resistive load 500W /Gang, inductive load 100W/ Gang





Touch 6018 Rui Shang B series

轻触6018锐尚B系列

远离喧嚣，
触动智能之美，
开启时尚成功之旅！



铝机一体化面板



静音按键



变光背光设计



轻触按键



10万次耐力测试



最新强磁吸入式安装



雷达感应唤醒功能



弱电485通讯协议
酒店模式，智能家居模式
485通讯信号输出



220V强电带485通讯协议
继电器+485通讯输出



220V强电智能单双控
继电器+同步信号输出



弱电干接点
干接点信号输出



220V强电无线ZigBee协议
继电器+无线ZigBee信号输出

雷达手势感应背光控制

当开关面板处于息屏状态时（背景字熄灭），用户用手掌在面板前挥动，面板即感应到手势，面板背景字就会亮起，当面板在设置的时间内感应不到人体手势，背景字就会自动熄灭。

LED光圈设计

开关按键状态光圈反馈的人性化设计，当灯光开启时，按键光圈就会点亮为白色，关灯光圈也随之关闭，清楚知道哪个灯开，哪个灯关。




Touch 6018 Rui Shang B series

轻触6018锐尚B系列

远离喧嚣，
触动智能之美，
开启时尚成功之旅！




边框面板一体化



智能家居/智慧酒店

RCU(485协议) 解决方案

- 有线连接，交付后运行稳定
- 485手拉手网线连接，布线少
- 强电控制强电，安全又方便




产品功能：
■ 开关即可本地独立控制灯具，也可以连接至RCU，通过RCU实现各种智能控制。

智能家居/智慧酒店

RCU(弱电干接点) 解决方案

- 有线连接，信号稳定
- 干接点连接，替换方便
- 12V安全电压，用的放心



产品功能：
■ 所有开关通过12V独立供电，无需接零线。开关也可以连接至RCU，通过RCU实现各种智能控制。